



















## REFERENCES

- [1] E. Beaudry, F. Kabanza, and F. Michaud. Planning with concurrency under resources and time uncertainty. In *Proceedings of the 2010 Conference on ECAI 2010: 19th European Conference on Artificial Intelligence*, pages 217–222, Amsterdam, The Netherlands, The Netherlands, 2010. IOS Press.
- [2] A. Blum and M. L. Furst. Fast planning through planning graph analysis. In *IJCAI*, pages 1636–1642, 1995.
- [3] F. Cavallo, R. Limosani, A. Manzi, M. Bonaccorsi, R. Esposito, M. Di Rocco, F. Pecora, G. Teti, A. Saffiotti, and P. Dario. Development of a socially believable multi-robot solution from town to home. *Cognitive Computation*, 6(4):954–967, 2014.
- [4] T. Chakraborti, G. Briggs, K. Talamadupula, Y. Zhang, M. Scheutz, D. Smith, and S. Kambhampati. Planning for serendipity. In *IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*, 2015.
- [5] M. Cirillo, L. Karlsson, and A. Saffiotti. Human-aware task planning for mobile robots. In *Proc of the Int Conf on Advanced Robotics (ICAR)*, 2009.
- [6] M. Cirillo, L. Karlsson, and A. Saffiotti. Human-aware task planning: An application to mobile robots. *ACM Trans. Intell. Syst. Technol.*, 1(2):15:1–15:26, Dec. 2010.
- [7] Y. E.-Martín, M. D. R.-Moreno, and D. E. Smith. A fast goal recognition technique based on interaction estimates. In *Proceedings of the Twenty-Fourth International Joint Conference on Artificial Intelligence, IJCAI 2015, Buenos Aires, Argentina, July 25-31, 2015*, pages 761–768, 2015.
- [8] M. Helmert. The fast downward planning system. *CoRR*, abs/1109.6051, 2011.
- [9] U. Koeckemann, F. Pecora, and L. Karlsson. Grandpa hates robots - interaction constraints for planning in inhabited environments. In *Proc. AAAI-2010*, 2014.
- [10] M. Kuderer, H. Kretschmar, C. Sprunk, and W. Burgard. Feature-based prediction of trajectories for socially compliant navigation. In *Proceedings of Robotics: Science and Systems*, Sydney, Australia, July 2012.
- [11] D. Mcdermott, M. Ghallab, A. Howe, C. Knoblock, A. Ram, M. Veloso, D. Weld, and D. Wilkins. Pddl - the planning domain definition language. Technical Report TR-98-003, Yale Center for Computational Vision and Control, 1998.
- [12] M. Ramirez and H. Geffner. Probabilistic plan recognition using off-the-shelf classical planners. In *In Proc. AAAI-2010*, 2010.
- [13] E. Sisbot, L. Marin-Urias, R. Alami, and T. Simeon. A human aware mobile robot motion planner. *Robotics, IEEE Transactions on*, 23(5):874–883, Oct 2007.
- [14] K. Talamadupula, G. Briggs, T. Chakraborti, M. Scheutz, and S. Kambhampati. Coordination in human-robot teams using mental modeling and plan recognition. In *Intelligent Robots and Systems (IROS 2014), 2014 IEEE/RSJ International Conference on*, pages 2957–2962, Sept 2014.
- [15] S. Tomic, F. Pecora, and A. Saffiotti. Too cool for school - adding social constraints in human aware planning. In *Proc of the International Workshop on Cognitive Robotics (CogRob)*, 2014.
- [16] T. Vossen, M. O. Ball, A. Lotem, and D. S. Nau. On the use of integer programming models in ai planning. In T. Dean, editor, *IJCAI*, pages 304–309. Morgan Kaufmann, 1999.