





#### 4. REFERENCES

- [1] Bickmore, T., Gruber, A., and Picard, R., 2005. Establishing the computer-patient working alliance in automated health behavior change interventions. *Patient Education and Counseling* 59, 1, 21-30.
- [2] Callahan, R.J., 1995. A Thought Field Therapy (TFT) algorithm for trauma. *Traumatology* 1, 1, 2.
- [3] De Melo, C.M. and Gratch, J., 2015. Beyond Believability: Quantifying the Differences Between Real and Virtual Humans. In *Intelligent Virtual Agents* Springer, 109-118.
- [4] Feinstein, D., 2012. Acupoint stimulation in treating psychological disorders: Evidence of efficacy. *Review of General Psychology* 16, 4, 364.
- [5] Gratch, J., Lucas, G.M., King, A.A., and Morency, L.-P., 2014. It's only a computer: the impact of human-agent interaction in clinical interviews. In *Proceedings of the 2014 international conference on Autonomous agents and multi-agent systems* International Foundation for Autonomous Agents and Multiagent Systems, 85-92.
- [6] Hartholt, A., Traum, D., Marsella, S.C., Shapiro, A., Stratou, G., Leuski, A., Morency, L.-P., and Gratch, J., 2013. All together now. In *Intelligent Virtual Agents* Springer, 368-381.
- [7] Kopp, S., Krenn, B., Marsella, S., Marshall, A.N., Pelachaud, C., Pirker, H., Thórisson, K.R., and Vilhjálmsson, H., 2006. Towards a common framework for multimodal generation: The behavior markup language. In *Intelligent virtual agents* Springer, 205-217.
- [8] Lisetti, C.L., 2012. 10 advantages of using avatars in patient-centered computer-based interventions for behavior change. *SIGHIT Record* 2, 1, 28.
- [9] Mitchell, M., 2009. Emotional freedom technique. *The practising midwife* 12, 7, 12-14.
- [10] Ochs, M., Pelachaud, C., and Sadek, D., 2008. An empathic virtual dialog agent to improve human-machine interaction. In *Proceedings of the 7th international joint conference on Autonomous agents and multiagent systems-Volume 1* International Foundation for Autonomous Agents and Multiagent Systems, 89-96.
- [11] Scott, J., 2008. Emotional freedom technique. *Counselling at Work. Winter* 9, 9-12.
- [12] Snyder, B., Bosnanac, D., and Davies, R., 2011. *ActiveMQ in action*. Manning.
- [13] Thiebaut, M., Marsella, S., Marshall, A.N., and Kallmann, M., 2008. Smartbody: Behavior realization for embodied conversational agents. In *Proceedings of the 7th international joint conference on Autonomous agents and multiagent systems-Volume 1* International Foundation for Autonomous Agents and Multiagent Systems, 151-158.
- [14] Tickle-Degnen, L. and Rosenthal, R., 1990. The nature of rapport and its nonverbal correlates. *Psychological inquiry* 1, 4, 285-293.