

Multi-Agent Path Finding with Deadlines: Preliminary Results*

Extended Abstract

Hang Ma*
USC
hangma@usc.edu

Glenn Wagner
CSIRO

Ariel Felner
Ben-Gurion University

Jiaoyang Li*
T. K. Satish Kumar*
Sven Koenig*

ABSTRACT

We formalize the problem of multi-agent path finding with deadlines (MAPF-DL). The objective is to maximize the number of agents that can reach their given goal vertices from their given start vertices within a given deadline, without colliding with each other. We first show that the MAPF-DL problem is NP-hard to solve optimally. We then present an optimal MAPF-DL algorithm based on a reduction of the MAPF-DL problem to a flow problem and a subsequent compact integer linear programming formulation of the resulting reduced abstracted multi-commodity flow network.

ACM Reference Format:

Hang Ma, Glenn Wagner, Ariel Felner, Jiaoyang Li, T. K. Satish Kumar, and Sven Koenig. 2018. Multi-Agent Path Finding with Deadlines: Preliminary Results. In *Proc. of the 17th International Conference on Autonomous Agents and Multiagent Systems (AAMAS 2018), Stockholm, Sweden, July 10-15, 2018*, IFAAMAS, 3 pages.

1 INTRODUCTION

Multi-agent path finding (MAPF) is the problem of planning collision-free paths for multiple agents in known environments from their given start vertices to their given goal vertices. MAPF is important, for example, for aircraft-towing vehicles [20], warehouse and office robots [30, 34], and game characters [19]. The objective is to minimize the sum of the arrival times of the agents or the makespan. The MAPF problem is NP-hard to solve optimally [36] and even to approximate within a small constant factor for makespan minimization [18]. It can be solved with reductions to other well-studied combinatorial problems [5, 21, 28, 35] and dedicated optimal [2, 6, 8, 22, 23, 25, 26, 32], bounded-suboptimal [1, 3], and suboptimal MAPF algorithms [4, 12, 24, 27, 31, 33], as described in several surveys [7, 15].

The MAPF problem has recently been generalized in different directions [9, 10, 13-17] but none of them capture an important characteristic of many applications, namely the ability to meet deadlines. We thus formalize the multi-agent path finding problem with deadlines (MAPF-DL problem). The objective is to maximize the number of agents that can reach their given goal vertices from their given start vertices within a given deadline, without colliding with each other. In previously studied MAPF problems, all agents have to be routed from their start vertices to their goal vertices,

and the objective is with regard to resources such as fuel (sum of arrival times) or time (makespan). In the MAPF-DL problem, on the other hand, the resources are the agents themselves. We first show that the MAPF-DL problem is NP-hard to solve optimally. We then present an optimal MAPF-DL algorithm based on a reduction of the MAPF-DL problem to a flow problem and a subsequent compact integer linear programming formulation of the resulting reduced abstracted multi-commodity flow network.

2 MAPF-DL PROBLEM

We formalize the MAPF-DL problem as follows: We are given a *deadline*, denoted by a time step T_{end} , an undirected graph $G = (V, E)$, and M agents $a_1, a_2 \dots a_M$. Each agent a_i has a start vertex s_i and a goal vertex g_i . In each time step, each agent either moves to an adjacent vertex or stays at the same vertex. Let $l_i(t)$ be the vertex occupied by agent a_i at time step $t \in \{0 \dots T_{end}\}$. Call an agent a_i *successful* iff it occupies its goal vertex at the deadline T_{end} , that is, $l_i(T_{end}) = g_i$. A *plan* consists of a path l_i assigned to each successful agent a_i . Unsuccessful agents are removed at time step zero and thus have no paths assigned to them.¹ A solution is a plan that satisfies the following conditions: (1) For all successful agents a_i , $l_i(0) = s_i$ [each successful agent starts at its start vertex]. (2) For all successful agents a_i and all time steps $t > 0$, $(l_i(t-1), l_i(t)) \in E$ or $l_i(t-1) = l_i(t)$ [each successful agent always either moves to an adjacent vertex or does not move]. (3) For all pairs of different successful agents a_i and a_j and all time steps t , $l_i(t) \neq l_j(t)$ [two successful agents never occupy the same vertex simultaneously]. (4) For all pairs of different successful agents a_i and a_j and all time steps $t > 0$, $l_i(t-1) \neq l_j(t)$ or $l_j(t-1) \neq l_i(t)$ [two successful agents never traverse the same edge simultaneously in opposite directions]. Define a *collision* between two different successful agents a_i and a_j to be either a *vertex collision* (a_i, a_j, v, t) iff $v = l_i(t) = l_j(t)$ (corresponding to Condition 3) or an *edge collision* (a_i, a_j, u, v, t) iff $u = l_i(t) = l_j(t+1)$ and $v = l_j(t) = l_i(t+1)$ (corresponding to Condition 4). The objective is to maximize the number of successful agents $M_{succ} = |\{a_i | l_i(T_{end}) = g_i\}|$.

Theorem 1. *It is NP-hard to compute a MAPF-DL solution with the maximum number of successful agents.*

The proof of the theorem reduces the $\leq 3, = 3$ -SAT problem [29], an NP-complete version of the Boolean satisfiability problem, to the MAPF-DL problem. The reduction is similar to the one used for proving the NP-hardness of approximating the optimal makespan for the MAPF problem [18]. It constructs a MAPF-DL instance with

*Hang Ma, Jiaoyang Li, T. K. Satish Kumar, and Sven Koenig are affiliated with the University of Southern California (USC). The research at USC was supported by the National Science Foundation (NSF) under grant numbers 1724392, 1409987, and 1319966 as well as a gift from Amazon.

Proc. of the 17th International Conference on Autonomous Agents and Multiagent Systems (AAMAS 2018), M. Dastani, G. Sukthankar, E. André, S. Koenig (eds.), July 10-15, 2018, Stockholm, Sweden. © 2018 International Foundation for Autonomous Agents and Multiagent Systems (www.ifaamas.org). All rights reserved.

¹Depending on the application, the unsuccessful agents can be removed at time step zero, wait at their start vertices, or move out of the way of the successful agents. We choose the first option in this paper. If the unsuccessful agents are not removed, they can obstruct other agents. However, our proof of NP-hardness does not depend on this assumption, and our MAPF-DL algorithm can be adapted to other assumptions.




Figure 1: (a) Running example of a MAPF-DL instance. (b) Construction for edge $(u, v) \in E$ between time steps t and $t + 1$. (c) Flow network for the running example.




Figure 2: Optimization for the running example. Left: Abstracted flow network. Right: Reduced abstracted flow network.

deadline $T_{end} = 3$ that has a solution where all agents are successful iff the given ≤ 3 -SAT instance is satisfiable.

3 OPTIMAL MAPF-DL ALGORITHM

Our optimal MAPF-DL algorithm first reduces the MAPF-DL problem to the maximum (integer) multi-commodity flow problem, which is similar to the reductions of the MAPF and TAPF problems to multi-commodity flow problems [14, 35]: Given a MAPF-DL instance with deadline T_{end} , we construct a multi-commodity flow network $\mathcal{N} = (\mathcal{V}, \mathcal{E})$ with vertices $\mathcal{V} = \bigcup_{v \in V} \{v_0^{out}\} \cup \bigcup_{t=1}^{T_{end}} \{v_t^{in}, v_t^{out}\}$ and directed edges \mathcal{E} with unit capacity. The vertices v_t^{out} represent vertex $v \in V$ at the end of time step t and the beginning of time step $t + 1$, while the vertices v_t^{in} are intermediate vertices. For each agent a_i , we set a supply of one at (start) vertex $(s_i)_0^{out}$ and a demand of one at (goal) vertex $(g_i)_{T_{end}}^{out}$, both for commodity type i (corresponding to agent a_i). For each time step, we construct the gadgets shown in Figure 1(b) to prevent vertex and edge collisions. The objective is to maximize the total amount of integral flow received in all vertices $(g_i)_{T_{end}}^{out}$, which can be achieved via a standard integer linear programming (ILP) formulation.

Theorem 2. *There is a one-to-one correspondence between all solutions of a MAPF-DL instance with the maximum number of successful agents and all maximum integral flows on the corresponding flow network.*

The proof of the theorem is similar to the one for the reduction of the MAPF problem to the multi-commodity flow problem [35].

Figure 1(a) shows a MAPF-DL instance with deadline $T_{end} = 2$. Agents a_1 and a_2 have start vertices s_1 and s_2 and goal vertices g_1 and g_2 , respectively. The number of successful agents is at most $M_{succ} = 1$ because only agent a_2 can reach its goal vertex in two time steps. Figure 1(c) shows the corresponding flow network with a maximum flow (in color) that corresponds to a solution with unsuccessful agent a_1 and successful agent a_2 with path $\langle v_2, v_4, v_4 \rangle$.

Abstracted Flow Network and Compact ILP Formulation We construct a compact ILP formulation based on an abstraction of the flow network $\mathcal{N} = (\mathcal{V}, \mathcal{E})$ and additional linear constraints to prevent vertex and edge collisions. We obtain the abstracted flow network $\mathcal{N}' = (\mathcal{V}', \mathcal{E}')$ by (1) contracting each $(v_t^{in}, v_t^{out}) \in \mathcal{E}$ and replacing v_t^{in} and v_t^{out} with a single vertex v_t for all $v \in V$ and $t = 1 \dots T_{end}$ (and v_0^{out} with v_0); and (2) replacing the gadget for each $(u, v) \in E$ and each $t = 0 \dots T_{end} - 1$ with a pair of edges (u_t, v_{t+1}) and (v_t, u_{t+1}) . Figure 2 (left) shows an example. Then, we use the standard ILP formulation of this abstracted network augmented with the constraints shown in red:

$$\begin{aligned} & \text{maximize } M_{succ} = \sum_{i=1 \dots M} \sum_{e \in \delta^-(s_i)_0} x_i[e], \text{ subject to} \\ & 0 \leq \sum_{i=1}^M x_i[e] \leq 1 \quad e \in \mathcal{E}' \quad (\text{subsumed by the top red constraints}) \\ & \sum_{e \in \delta^+(v)} x_i[e] - \sum_{e \in \delta^-(v)} x_i[e] = 0 \quad i = 1 \dots M, v \in \mathcal{V}' \setminus \{(s_i)_0, (g_i)_{T_{end}}\} \\ & \sum_{e \in \delta^-(s_i)_0} x_i[e] = \sum_{e \in \delta^+(g_i)_{T_{end}}} x_i[e] \quad i = 1 \dots M \\ & \sum_{i=1 \dots M} \sum_{e \in \delta^+(v)} x_i[e] \leq 1 \quad v \in \mathcal{V}' \\ & \sum_{i=1 \dots M} x_i[(u_t, v_{t+1})] + \sum_{i=1 \dots M} x_i[(v_t, u_{t+1})] \leq 1 \quad (u_t, v_{t+1}), (v_t, u_{t+1}) \in \mathcal{E}', \end{aligned}$$

where the 0/1 variable $x_i[e]$ represents the amount of flow of commodity type i on edge $e \in \mathcal{E}'$ and the sets $\delta^-(v)$ and $\delta^+(v)$ contain all outgoing and incoming, respectively, edges of vertex v . The top red constraints prevent vertex collisions of the form $(*, *, v, t)$, and the bottom red constraints prevent edge collisions of the forms $(*, *, u, v, t)$ and $(*, *, v, u, t)$.

Reduced Abstracted Flow Network We can remove all vertices and edges from the abstracted flow network that are not on some path from at least one start vertex to the corresponding goal vertex in the abstracted flow network. This can be done by performing one complete forward breadth-first search from each start vertex and one complete backward breadth-first search from each goal vertex and then keeping only those vertices and edges that are part of the search trees associated with at least one start vertex and the corresponding goal vertex. Figure 2 (right) shows an example. We then use the compact ILP formulation of the resulting reduced abstracted flow network.

Experimental Evaluation We tested our optimal MAPF-DL algorithm on a 2.50 GHz Intel Core i5-2450M laptop with 6 GB RAM, using CPLEX V12.7.1 [11] as the ILP solver. We randomly generated MAPF-DL instances with different numbers of agents (ranging from 10 to 100 in increments of 10) on 40×40 4-neighbor 2D grids with deadline $T_{end} = 50$. We blocked all grid cells independently at random with 20% probability each. We generated 50 MAPF-DL instances for each number of agents. We placed the start and goal vertices of each agent randomly at distance 48, 49, or 50. The following table shows the percentage of instances that could be solved within a runtime limit of 60 seconds per instance.

agents	10	20	30	40	50	60	70	80	90	100
success rate	100%	100%	100%	100%	98%	88%	50%	12%	0%	0%

REFERENCES

- [1] M. Barer, G. Sharon, R. Stern, and A. Felner. 2014. Suboptimal Variants of the Conflict-Based Search Algorithm for the Multi-Agent Pathfinding Problem. In *SoCS*. 19–27.

- [2] E. Boyarski, A. Felner, R. Stern, G. Sharon, D. Tolpin, O. Betzalel, and S. E. Shimony. 2015. ICBS: Improved Conflict-Based Search Algorithm for Multi-Agent Pathfinding. In *IJCAI*. 740–746.
- [3] L. Cohen, T. Uras, T. K. S. Kumar, H. Xu, N. Ayanian, and S. Koenig. 2016. Improved Solvers for Bounded-Suboptimal Multi-Agent Path Finding. In *IJCAI*. 3067–3074.
- [4] B. de Wilde, A. W. ter Mors, and C. Witteveen. 2013. Push and Rotate: Cooperative Multi-Agent Path Planning. In *AAMAS*. 87–94.
- [5] E. Erdem, D. G. Kisa, U. Oztok, and P. Schueller. 2013. A General Formal Framework for Pathfinding Problems with Multiple Agents. In *AAAI*. 290–296.
- [6] A. Felner, J. Li, E. Boyarski, H. Ma, L. Cohen, T. K. S. Kumar, and S. Koenig. 2018. Adding Heuristics to Conflict-Based Search for Multi-Agent Path Finding. *ICAPS*.
- [7] A. Felner, R. Stern, S. E. Shimony, E. Boyarski, M. Goldenberg, G. Sharon, N. R. Sturtevant, G. Wagner, and P. Surynek. 2017. Search-Based Optimal Solvers for the Multi-Agent Pathfinding Problem: Summary and Challenges. In *SoCS*. 29–37.
- [8] M. Goldenberg, A. Felner, R. Stern, G. Sharon, N. R. Sturtevant, R. C. Holte, and J. Schaeffer. 2014. Enhanced Partial Expansion A*. *Journal of Artificial Intelligence Research* 50 (2014), 141–187.
- [9] W. Hönig, T. K. S. Kumar, L. Cohen, H. Ma, H. Xu, N. Ayanian, and S. Koenig. 2016. Multi-Agent Path Finding with Kinematic Constraints. In *ICAPS*. 477–485.
- [10] W. Hönig, T. K. S. Kumar, H. Ma, N. Ayanian, and S. Koenig. 2016. Formation Change for Robot Groups in Occluded Environments. In *IROS*. 4836–4842.
- [11] IBM. 2011. *IBM ILOG CPLEX Optimization Studio CPLEX User's Manual*.
- [12] R. Luna and K. E. Bekris. 2011. Push and Swap: Fast Cooperative Path-Finding with Completeness Guarantees. In *IJCAI*. 294–300.
- [13] H. Ma, W. Hönig, L. Cohen, T. Uras, H. Xu, T. K. S. Kumar, N. Ayanian, and S. Koenig. 2017. Overview: A Hierarchical Framework for Plan Generation and Execution in Multi-Robot Systems. *IEEE Intelligent Systems* 32, 6 (2017), 6–12.
- [14] H. Ma and S. Koenig. 2016. Optimal Target Assignment and Path Finding for Teams of Agents. In *AAMAS*. 1144–1152.
- [15] H. Ma, S. Koenig, N. Ayanian, L. Cohen, W. Hönig, T. K. S. Kumar, T. Uras, H. Xu, C. Tovey, and G. Sharon. 2016. Overview: Generalizations of Multi-Agent Path Finding to Real-World Scenarios. In *IJCAI-16 Workshop on Multi-Agent Path Finding*.
- [16] H. Ma, T. K. S. Kumar, and S. Koenig. 2017. Multi-Agent Path Finding with Delay Probabilities. In *AAAI*. 3605–3612.
- [17] H. Ma, J. Li, T. K. S. Kumar, and S. Koenig. 2017. Lifelong Multi-Agent Path Finding for Online Pickup and Delivery Tasks. In *AAMAS*. 837–845.
- [18] H. Ma, C. Tovey, G. Sharon, T. K. S. Kumar, and S. Koenig. 2016. Multi-Agent Path Finding with Payload Transfers and the Package-Exchange Robot-Routing Problem. In *AAAI*. 3166–3173.
- [19] H. Ma, J. Yang, L. Cohen, T. K. S. Kumar, and S. Koenig. 2017. Feasibility Study: Moving Non-Homogeneous Teams in Congested Video Game Environments. In *AIIDE*. 270–272.
- [20] R. Morris, C. Pasareanu, K. Luckow, W. Malik, H. Ma, S. Kumar, and S. Koenig. 2016. Planning, Scheduling and Monitoring for Airport Surface Operations. In *AAAI-16 Workshop on Planning for Hybrid Systems*.
- [21] V. Nguyen, P. Obermeier, T. C. Son, T. Schaub, and W. Yeoh. 2017. Generalized Target Assignment and Path Finding Using Answer Set Programming. In *IJCAI*. 1216–1223.
- [22] G. Sharon, R. Stern, A. Felner, and N. R. Sturtevant. 2015. Conflict-Based Search for Optimal Multi-Agent Pathfinding. *Artificial Intelligence* 219 (2015), 40–66.
- [23] G. Sharon, R. Stern, M. Goldenberg, and A. Felner. 2013. The Increasing Cost Tree Search for Optimal Multi-Agent Pathfinding. *Artificial Intelligence* 195 (2013), 470–495.
- [24] D. Silver. 2005. Cooperative Pathfinding. In *AIIDE*. 117–122.
- [25] T. S. Standley. 2010. Finding Optimal Solutions to Cooperative Pathfinding Problems. In *AAAI*. 173–178.
- [26] T. S. Standley and R. E. Korf. 2011. Complete Algorithms for Cooperative Pathfinding Problems. In *IJCAI*. 668–673.
- [27] N. R. Sturtevant and M. Buro. 2006. Improving Collaborative Pathfinding Using Map Abstraction. In *AIIDE*. 80–85.
- [28] P. Surynek. 2015. Reduced Time-Expansion Graphs and Goal Decomposition for Solving Cooperative Path Finding Sub-Optimally. In *IJCAI*. 1916–1922.
- [29] C. A. Tovey. 1984. A Simplified NP-Complete Satisfiability Problem. *Discrete Applied Mathematics* 8 (1984), 85–90.
- [30] M. Veloso, J. Biswas, B. Coltin, and S. Rosenthal. 2015. CoBots: Robust Symbiotic Autonomous Mobile Service Robots. In *IJCAI*. 4423–4429.
- [31] G. Wagner and H. Choset. 2011. M*: A Complete Multirobot Path Planning Algorithm with Performance Bounds. In *IROS*. 3260–3267.
- [32] G. Wagner and H. Choset. 2015. Subdimensional Expansion for Multirobot Path Planning. *Artificial Intelligence* 219 (2015), 1–24.
- [33] K. Wang and A. Botea. 2011. MAPP: A Scalable Multi-Agent Path Planning Algorithm with Tractability and Completeness Guarantees. *Journal of Artificial Intelligence Research* 42 (2011), 55–90.
- [34] P. R. Wurman, R. D'Andrea, and M. Mountz. 2008. Coordinating Hundreds of Cooperative, Autonomous Vehicles in Warehouses. *AI Magazine* 29, 1 (2008), 9–20.
- [35] J. Yu and S. M. LaValle. 2013. Planning Optimal Paths for Multiple Robots on Graphs. In *JCRA*. 3612–3617.
- [36] J. Yu and S. M. LaValle. 2013. Structure and Intractability of Optimal Multi-Robot Path Planning on Graphs. In *AAAI*. 1444–1449.