

REFERENCES

- [1] Ruth Iris Bahar, Erica A. Frohm, Charles M. Gaona, Gary D. Hachtel, Enrico Macii, Abelardo Pardo, and Fabio Somenzi. 1993. Algebraic decision diagrams and their applications. In *Proceedings of the International Conference on Computer-Aided Design (ICCAD)*. IEEE Computer Society Press, Los Alamitos, CA, USA, 188–191.
- [2] Peng Dai and Judy Goldsmith. 2007. Topological Value Iteration Algorithm for Markov Decision Processes. In *Proceedings of International Joint Conferences on Artificial Intelligence*, Manuela M. Veloso (Ed.). 1860–1865.
- [3] Thomas Dean and Keiji Kanazawa. 1990. A model for reasoning about persistence and causation. *Computational Intelligence* 5, 3 (1990), 142–150.
- [4] Ping Hou, William Yeoh, and Pradeep Varakantham. 2014. Revisiting Risk-Sensitive MDPs: New Algorithms and Results. In *Proceedings of the Twenty-Fourth International Conference on Automated Planning and Scheduling, ICAPS 2014, Portsmouth, New Hampshire, USA, June 21-26, 2014*.
- [5] D. A. M. Moreira, K. V. Delgado, and L. N. de Barros. 2017. Risk-Sensitive Markov Decision Process with Limited Budget. In *Brazilian Conference on Intelligent System (BRACIS)*. 109–114.
- [6] Martin L. Puterman. 1994. *Markov Decision Processes*. John Wiley and Sons, New York.
- [7] Stella X Yu, Yuanlie Lin, and Pingfan Yan. 1998. Optimization Models for the First Arrival Target Distribution Function in Discrete Time. *J. Math. Anal. Appl.* 225, 1 (1998), 193 – 223.