Distribution of Chores with Information Asymmetry

Extended Abstract

Hadi Hosseini Pennsylvania State University State College, PA, USA hadi@psu.edu

Tomas Wąs CNRS, LAMSADE, Université Paris Dauphine-PSL Paris, France tomasz.was@dauphine.psl.eu

ABSTRACT

One well-regarded fairness notion in dividing indivisible chores is envy-freeness up to one item (EF1), which requires that pairwise envy can be eliminated by the removal of a single item. While an EF1 and Pareto optimal (PO) allocation of goods can always be found via well-known algorithms, even the existence of such solutions for chores remains open, to date. We take an *epistemic* approach to identify such allocations utilizing information asymmetry by introducing *dubious chores* – items that inflict no cost on receiving agents but are perceived to be costly by others. On a technical level, dubious chores provide a more fine-grained approximation of envyfreeness than EF1. We show that finding allocations with minimal number of dubious chores is computationally hard. Nonetheless, we prove the existence of envy-free and fractional PO allocations for *n* agents with only 2n - 2 dubious chores and strengthen it to n - 1 dubious chores in four special classes of valuations.

KEYWORDS

Fair division; Resource allocation; Computational social choice

ACM Reference Format:

Hadi Hosseini, Joshua Kavner, Tomas Wąs, and Lirong Xia. 2024. Distribution of Chores with Information Asymmetry: Extended Abstract. In *Proc. of the 23rd International Conference on Autonomous Agents and Multiagent Systems (AAMAS 2024), Auckland, New Zealand, May 6 – 10, 2024*, IFAAMAS, 3 pages.

1 INTRODUCTION

Fair allocation of resources is a fundamental role of any economy with considerable applications in healthcare, charitable donations, waste management, and task allocation [2, 8, 11, 12, 20, 27–29]. In recent years, significant research has investigated axioms and algorithmic techniques for allocating chores [5, 10, 14, 16, 23]. One canonical notion, *envy-freeness up to one item* (EF1), asserts that pairwise envy between agents can be eliminated by counterfactually removing a single item [11, 25]. An EF1 allocation of goods always



This work is licensed under a Creative Commons Attribution International 4.0 License.

Proc. of the 23rd International Conference on Autonomous Agents and Multiagent Systems (AAMAS 2024), N. Alechina, V. Dignum, M. Dastani, J.S. Sichman (eds.), May 6 − 10, 2024, Auckland, New Zealand. © 2024 International Foundation for Autonomous Agents and Multiagent Systems (www.ifaamas.org).

Joshua Kavner Rensselaer Polytechnic University Troy, NY, USA kavnej@rpi.edu

Lirong Xia Rensselaer Polytechnic University Troy, NY, USA xialirong@gmail.edu

exists and can be computed efficiently with economic efficiency notions such as Pareto optimality (PO) [7, 13]. In contrast, for chores, even the existence of such allocations remains open to date, leading to several works on restricted domains [3, 15, 19, 24].

1.1 Our Contributions

We take a different, epistemic, approach that utilizes information asymmetry to differentiate the allocation of chores that agents are informed about from the allocation they actually receive. The difference is an over-representation about which tasks agents complete, above-and-beyond those they are actually assigned. Our contribution is a novel fairness notion, DEF-k which uses dubious chores, items that are perceived as costly but inflict no actual cost on the receiving agent. Conceptually, dubious chores provide a natural approach when no envy-free solution exists. This is a particularly convenient solution in settings where agents do not have direct means of communication and cannot verify the exact costs incurred by each agent, such as with distributed computing of highcomplexity problems or decentralized training of large language models. Technically, DEF-k provides a more fine-grained approximation of envy-freeness than EF1. This enables progress towards addressing open problems in fair allocation of indivisible chores, such as the existence and computation of EF1 and PO. Hence, the significance in DEF-k is in identifying allocations with minimal k.¹

1.2 Preliminaries

An *instance* $I = \langle N, M, V \rangle$ is defined by a set of *n* agents *N*, a set of *m* chores *M*, and additive valuations $V = (v_i)_{i \in N}$ that specify the disutility $v_i(S)$ that each agent has for a subset of chores $S \subseteq M$. Additionally, we consider four special cases of restricted valuations: (1) *binary* where every agent values each item at 0 or -1, (2) *identical* where every agent has the same value per chore, (3) *bivalued* where every agent values each item at either *x* or *y*, where x < y < 0, (4) *two-types of chores* where chores fall into two types and every agent values chores of the same type identically.

An allocation $A = (A_i)_{i \in \mathcal{N}}$ is an *n*-partition of the chores \mathcal{M} among the agents. An allocation satisfies *envy-freeness up to one chore* (EF1) if $\forall i, h \in \mathcal{N}, \exists c \in A_i : v_i(A_i \setminus \{c\}) \ge v_i(A_h)$. An allocation is *fractionally Pareto optimal* (fPO) if there is no complete fractional allocation (where chores may be partially allocated) that makes all agents weakly better-off and no agent worse-off.

¹More details can be found in the full version of the paper [22].

Definition 1. A dubious chore c' allocated to agent $i \in N$ is a copy of the chore $c \in M$ such that $v_h(\{c'\}) = v_h(\{c\}) \forall h \neq i$ and $v_i(\{c'\}) = 0$. An allocation A is envy-free up to k dubious chores (DEF-k) if there exists k dubious chores that, upon being additionally allocated, the augmented allocation is envy-free.

Finally, a price vector $p : \mathcal{M} \to \mathbb{R}$ is a payment that each agent receives for doing a chore. Given allocation A, the pair (A, p) is a *Fisher market equilibrium* (FME) if $A_i \subseteq \arg\min_{c \in \mathcal{M}} |v_i(\{c\})|/p(c)$, $\forall i \in \mathcal{N}$. It is known that any such A is fPO [26]. A Fisher market equilibrium (A, p) is price envy-free up to one item (pEF1) if $\forall i, j \in \mathcal{N}$, either $A_i = \emptyset$ or $\exists c \in A_i : p(A_i \setminus \{c\}) \leq p(A_j)$.

2 FAIRNESS WITH DUBIOUS CHORES

We begin by analyzing fairness with dubious chores without any efficiency requirement. We start with the decision problem of finding the optimal k for which a DEF-k allocation exists.

Theorem 1. Given an instance $I = \langle N, M, V \rangle$, for every fixed constant $k \in \mathbb{Z}_{\geq 0}$, deciding if the instance admits a DEF-k allocation A is NP-complete, even when valuations are identical or binary.

Theorem 1 is proved using a reduction from Partition for identical valuations and Set Splitting for binary valuations [17]. This implies that minimizing k for DEF-k existence is NP-hard as well. Moreover, since hardness holds for k = 0, this problem has no polynomial-time constant approximation scheme unless P = NP.

Corollary 1. Given instance $I = \langle N, M, V \rangle$, unless P=NP, there is no polynomial-time algorithm that gives a constant approximation for the problem of finding a DEF-k allocation with minimal k.

Theorem 1 holds when k is a fixed constant. If we do not fix k, even the verification problem of whether a given allocation could be augmented with k dubious chores to become envy-free is computationally intractable.

Theorem 2. Given an instance $I = \langle N, M, V \rangle$ with binary valuations and an allocation A, deciding if allocation A is DEF-k is NP-complete.

This is proved via a reduction form Restricted Exact Cover by 3-Sets (RX3C) [21]. In lieu of this computational hardness, we establish upper-bounds on k for DEF-k existence. While EF1 allocations can be computed in polynomial time [3, 9], such allocations may require many dubious chores to become envy-free.

Proposition 1. Given an instance $I = \langle N, M, V \rangle$, every EF1 allocation A is also DEF-n(n - 1).

This follows since for each pairwise envy relation, the envied agent can dubiously receive the "worst" chore of the envious agent to remove the envy. This bound can be improved as follows.

Theorem 3. Given an instance $I = \langle N, M, V \rangle$, Round Robin returns a DEF-(n - 1) allocation.

The improvement arises since each agent chooses the best of the remaining chores for each round. Hence, in each round, there is a single agreed-upon "worst" chore, the latest chore allocated, that could eliminate all envy-relations when dubiously allocated. We note that not every EF1 allocation is DEF-(n - 1), nor is any DEF-(n - 1) allocation EF1. Furthermore, the existence of *any* DEF-k allocation is tight at k = n - 1; that is, DEF-(n - 2) may not exist.

3 FAIRNESS AND EFFICIENCY

We proceed to demonstrate the existence and computation of DEF-*k* allocations with fractional Pareto optimality.

Theorem 4. Given an instance $I = \langle N, M, V \rangle$, there always exists a DEF-(2n - 2) and fPO allocation.

Our approach is based on Barman and Krishnamurthy [6]'s demonstration that a FME always exists. Let i^* denote the agent with the highest priced bundle $p(A_{i^*})$ and c denote the chore with the highest price p(c); we prove that giving each agent besides i^* two dubious copies of c yields envy-freeness. We note the same algorithm was utilized by Akrami et al. [1] to attain an EF1 and fPO allocation by introducing at most n - 1 actual copies of chores. Next, we focus on four restricted domains of preferences.

Theorem 5. For any instance $I = \langle N, M, V \rangle$ with binary, identical, or bivalued valuations, or two-types of chores, there exists a DEF-(n-1) + fPO allocation that can be computed in polynomial time.

A DEF-(n - 1) + fPO allocation may be attained for each case, intuitively, as follows. For binary valuations, all the 0-valued chores may be allocated, followed by the -1-valued chores as evenlydistributed as possible. Identical valuations are by-definition fPO; allocated them with Round Robin attains DEF-(n - 1). For bivalued valuations, we prove that a pEF1 FME (A, p) is DEF-(n - 1); Ebadian et al. [15] and Garg et al. [18]'s algorithms find A in polynomial time. For two-types of chores, Aziz et al. [4] find an allocation Awith certain properties in polynomial time; we identify a price vector p such that (A, p) is a pEF1 FME.

4 **DISCUSSION**

We have proposed a novel epistemic framework for fair allocations of chores. While our approach may appear similar to EF1 and duplicating chores, there are significant differences with these models. First, agents in our approach measure whether an allocation is fair based on their information, which is subjective and may differ across agents. This contrasts EF1, which requires agents to counterfactually reason about other agents' bundles. Moreover, DEF-*k* offers a more fine-grained approximation of EF than EF1. Whereas the latter recognizes any allocation *close to* an EF1 allocation, DEF-*k* precisely identifies a trade-off between fairness and transparency. That is, a DEF-0 allocation is necessarily EF, while at most *k* units of transparency must be compromised to make a DEF-*k* allocation envy-free for k > 0.

Second, our approach contrasts recent work by Akrami et al. [1] who introduced real copies of chores (i.e., "*surplus*") into the original fair division instance. This differs from our approach on a conceptual level because (i) duplicates introduce *real* additional cost on the receiving agents, reducing overall welfare, and (ii) more duplicates than dubious chores may be needed to eliminate envy.

ACKNOWLEDGMENTS

HH acknowledges support from NSF IIS grants #214413 and #2107173. LX acknowledges NSF #2007994 and #2106983, and a Google Research Award for support. TW was supported by the French government under management of Agence Nationale de la Recherche as part of the "Investissements d'avenir" program, reference ANR-19-P3IA-0001 (PRAIRIE 3IA Institute).

REFERENCES

- Hannaneh Akrami, Bhaskar Ray Chaudhury, Jugal Garg, Kurt Mehlhorn, and Ruta Mehta. 2023. Fair and efficient allocation of indivisible chores with surplus. In *Proceedings of IJCAI*.
- [2] Martin Aleksandrov, Haris Aziz, Serge Gaspers, and Toby Walsh. 2015. Online Fair Division: Analysing a Food Bank Problem. In Proceedings of IJCAI.
- [3] Haris Aziz, Ioannis Caragiannis, Ayumi Igarashi, and Toby Walsh. 2022. Fair allocation of indivisible goods and chores. Autonomous Agents and Multi-Agent Systems (2022).
- [4] Haris Aziz, Jeremy Lindsay, Angus Ritossa, and Mashbat Suzuki. 2023. Fair Allocation of Two Types of Chores. In *Proceedings of AAMAS*.
- [5] Haris Aziz, Gerhard Rauchecker, Guido Schryen, and Toby Walsh. 2017. Algorithms for Max-Min Share Fair Allocation of Indivisible Chores. In Proceedings of AAAI.
- [6] Siddharth Barman and Sanath Kumar Krishnamurthy. 2019. On the proximity of markets with integral equilibria. In Proceedings of AAAI.
- [7] Siddharth Barman, Sanath Kumar Krishnamurthy, and Rohit Vaish. 2018. Finding fair and efficient allocations. In *Proceedings of EC*.
- [8] Nawal Benabbou, Mithun Chakraborty, Xuan-Vinh Ho, Jakub Sliwinski, and Yair Zick. 2020. The price of quota-based diversity in assignment problems. ACM Transactions on Economics and Computation (TEAC) (2020).
- [9] Umang Bhaskar, AR Sricharan, and Rohit Vaish. 2021. On Approximate Envy-Freeness for Indivisible Chores and Mixed Resources. In *Proceedings of AAPROX*.
 [10] Anna Bogomolnaia, Hervé Moulin, Fedor Sandomirskiy, and Elena Yanovskaia.
- [10] Anna bogomomana, Herve Mounn, redor Sandomirsky, and Elena ranovskala.
 2019. Dividing bads under additive utilities. Social Choice and Welfare (2019).
 [11] Eric Budish. 2011. The combinatorial assignment problem: Approximate compet-
- [11] End Endusit. 2011. The combinition assignment protein: Approximate Competitive equilibrium from equal incomes. *Journal of Political Economy* (2011).
 [12] Eric Budish, Gérard P Cachon, Judd B Kessler, and Abraham Othman. 2017. Course
- [12] Eric Budish, Gerard P Cachon, Judd B Kessler, and Abraham Othman. 2017. Course match: A large-scale implementation of approximate competitive equilibrium from equal incomes for combinatorial allocation. *Operations Research* (2017).
- [13] Ioannis Caragiannis, Nick Gravin, and Xin Huang. 2019. Envy-freeness up to any item with high Nash welfare: The virtue of donating items. In *Proceedings of EC*.
- [14] Bhaskar Ray Chaudhury, Jugal Garg, Peter McGlaughlin, and Ruta Mehta. 2020. Dividing bads is harder than dividing goods: On the complexity of fair and

efficient division of chores. arXiv preprint arXiv:2008.00285 (2020).

- [15] Soroush Ebadian, Dominik Peters, and Nisarg Shah. 2022. How to Fairly Allocate Easy and Difficult Chores. In *Proceedings of AAMAS*.
- [16] Rupert Freeman, Sujoy Sikdar, Rohit Vaish, and Lirong Xia. 2020. Equitable Allocations of Indivisible Chores. In *Proceedings of AAMAS*.
- [17] Michael Garey and David Johnson. 1979. Computers and Intractability. W. H. Freeman and Company.
- [18] Jugal Garg, Aniket Murhekar, and John Qin. 2022. Fair and efficient allocations of chores under bivalued preferences. In *Proceedings of AAAI*.
- [19] Jugal Garg, Aniket Murhekar, and John Qin. 2023. New Algorithms for the Fair and Efficient Allocation of Indivisible Chores. In Proceedings of IJCAI.
- [20] Jonathan Goldman and Ariel D Procaccia. 2015. Spliddit: Unleashing fair division algorithms. ACM SIGecom Exchanges (2015).
- [21] Teofilo F Gonzalez. 1985. Clustering to minimize the maximum intercluster distance. *Theoretical computer science* (1985).
- [22] Hadi Hosseini, Joshua Kavner, Tomasz Wąs, and Lirong Xia. 2023. Distribution of Chores with Information Asymmetry. arXiv preprint arXiv:2305.02986 (2023).
- [23] Hadi Hosseini, Andrew Searns, and Erel Segal-Halevi. 2022. Ordinal Maximin Share Approximation for Chores. In Proceedings of AAMAS.
- [24] Hadi Hosseini, Sujoy Sikdar, Rohit Vaish, and Lirong Xia. 2023. Fairly Dividing Mixtures of Goods and Chores under Lexicographic Preferences. In *Proceedings* of AAMAS.
- [25] Richard J Lipton, Evangelos Markakis, Elchanan Mossel, and Amin Saberi. 2004. On Approximately Fair Allocations of Indivisible Goods. In *Proceedings of EC*.
- [26] Andreu Mas-Colell, Michael Whinston, and Jerry R. Green. 1995. Microeconomic Theory. Oxford University Press.
- [27] David C Parkes, Ariel D Procaccia, and Nisarg Shah. 2015. Beyond dominant resource fairness: Extensions, limitations, and indivisibilities. ACM Transactions on Economics and Computation (TEAC) (2015).
- [28] Parag A Pathak, Tayfun Sönmez, M Utku Ünver, and M Bumin Yenmez. 2021. Fair allocation of vaccines, ventilators and antiviral treatments: leaving no ethical value behind in health care rationing. In *Proceedings of EC*.
- [29] Mao Tan, Zhuocen Dai, Yuling Ren, Toby Walsh, and Martin Aleksandrov. 2021. Minimal-envy conference paper assignment: formulation and a fast iterative algorithm. In 2021 5th Asian Conference on Artificial Intelligence Technology (ACAIT).